North American Commission

NAC(04)6

NAC Scientific Working Group on Salmonid Introductions and Transfers Report of Activities – 2003/2004

NAC(04)6

NAC Scientific Working Group on Salmonid Introductions and Transfers Report of Activities - 2003/2004

Members:

Rex Porter (Canada Co-chair) Shane O'Neil (Canada) Gilles Olivier (Canada) Mary Colligan (USA Co-chair) Dave Bean (USA)

The Scientific Working Group (SWG) did not meet during this past year, but rather conducted its business through correspondence. The NAC did not make any specific request to the SWG in 2003. Thus, the only task conducted by the Working Group was to up-date its three databases: 1) inventory of introductions and transfers; 2) table on the status of disease occurrences within the NAC Area; and 3) occurrences of farmed salmonids in rivers. The SWG is waiting for direction from the NAC, with respect to recommended revisions to the NAC Protocols.

1. Update of the database for the inventory of introductions and transfers of salmonids within the NAC area

Information for the inventory of introductions and transfers of salmonids for 2003 was solicited from federal, state and provincial agencies. To date, we have received information from all of the Canadian agencies, except Prince Edward Island; from the USA, we have only received information on transfers of Atlantic salmon for the State of Maine. No information was received for other species or other States. A summary of the introductions and transfers information for 2001 to 2003 is provided in Table 1; and, a list of the individual shipments for 2003 is provided in Appendix 1. It should be noted those introductions and transfers shown for 2003 are only for shipments that crossed provincial or state boundaries and the US-Canada border; in previous years the shipments shown for USA included within-State shipments. Inventory information for years 1986 to 2002 are in previous reports to the NAC. The database resides at the Department of Fisheries and Oceans office in Dartmouth, Nova Scotia.

There were only four (4) salmonid species reported introduced or transferred in 2003; Atlantic salmon and rainbow trout made up about 90% of the shipments, with brook trout and Arctic char making up the other 10%. Of the total number of eggs or fish shipped about 83% were Atlantic salmon and 16% were rainbow trout. Approximately 85% of all shipments primarily were for aquaculture purposes. The remaining 15% were for research and education or for stock enhancement. Several shipments are noteworthy.

- There was one shipment of Icelandic "Mowi" strain Atlantic salmon eggs from PEI to NB. They are being used in growth performance experiments in land-based facilities, in which the risk of escapement is low. No authorization will be given for these fish to be used in freshwater or marine cage rearing.
- There were 3 shipments of transgenic salmonids (one each of Arctic charr, rainbow trout and Atlantic salmon) from PEI to NF. These transgenic fish are being used by

private industry for research, which is being conducted in a land-based facility with very low risk of escape.

• Reproductively viable mixed-sexed diploid rainbow trout continues to be used in some marine aquaculture sites in Atlantic Canada, which is contrary to the NAC Protocols. It is believed that the establishment of one or more reproducing populations of rainbow trout on the west coast of Newfoundland was the result of rainbow trout that escaped from marine aquaculture cages.

2. Update of the databases for fish disease occurrences within the NAC area

The database on the historic occurrences of fish pathogens in the NAC area has been updated and provided in Table 2. This database is incomplete since it only includes disease occurrences reported by the Federal Fish Health Officers; diseases may have been detected by provincial and/or private veterinarians and not reported to Federal agencies.

ISA continues to be of concern in New Brunswick, Nova Scotia and Maine. There is a joint federal, provincial, industry committee overseeing the control and management of the disease. Officials from Canada and the USA are in close communication on the management of this disease.

A New Strain of Infectious Salmon Anemia virus (ISAV) detected

A suspected presence of ISAV was reported at one site near Jonesport, Maine in November 2003. Intensive testing and research was initiated, and results identified an apparently new strain of ISAV. The new strain appears to have different effects on salmon compared to the New Brunswick strain of ISAV that has been detected in recent years at several sites in Maine and Canada. The new strain did not result in any increased mortality of salmon at the Jonesport site.

3. Update database of numbers Atlantic salmon aquaculture escapees and observations of rainbow trout in Atlantic salmon rivers.

The SWG compiled the most recent information available to the Group on occurrences of Atlantic salmon and rainbow trout believed to be aquaculture escapees in rivers within Maine, New Brunswick, Nova Scotia, and Newfoundland (Tables 3, 4, and 5). It is recognized that the information is incomplete, considering the difficulty in identifying escaped-farmed fish, and information is primarily obtained from field investigations on a relatively small number of rivers or from reports from anglers.

In 2003, Atlantic salmon aquaculture escapees were reported in four (4) rivers in New Brunswick and Maine (Table 3). The greatest number (22) was reported in the Magaguadavic River with the escapees representing 81% of the salmon entering the river. Although only small numbers of aquaculture escapees were observed in the St. Croix (9) and the Dennys River (2), they represent a 38% and 18% of the salmon run to these rivers respectively. The total number (36) of Atlantic salmon of aquaculture origin observed in 2003 was 36% less than observed in 2002 and 88% less than observed in 2001.

Several salmon (adults and juveniles) with European alleles were identified from samples collected in several rivers in the Bay of Fundy. These salmon were captured in the

Magaguadavic River, one of the most proximate rivers to the aquaculture industry, the Black River, Chamcook stream, and the Upper Salmon River. The presence of these non-indigenous strains is of concern, particularly in the Upper Salmon River, since this River is one of the 32 rivers of the Inner Bay of Fundy in which the population was listed as endangered in May 2001 by the Committee on the Status of Endangered Wildlife in Canada. Some hatchery-origin juvenile Atlantic salmon obtained from the Magaguadavic River were of partial European ancestry (probable North American/European hybrids), suggesting that these fish escaped from a hatchery on the river system.

Likely sources of these European and partial European ancestry salmon found in the Bay of Fundy rivers are escapees from the American aquaculture industries and/or from a Canadian hatchery.

The USA industry has been screening their salmon for European ancestry for several years. Some of the aquaculture industry in the Maritime Provinces has begun screening their broodstock for fish of European ancestry; these analyses are required by the USA before eggs, fry and smolt produced in Canada may be exported to Maine for eventual rearing in sea pens. This genetic screening is based on seven microsatellite loci used by US Fish & Wildlife Services. These analyses will permit detection of European, North American/European hybrids and salmon with lower levels of European ancestry. Additional screening will likely occur in the coming year.

Rainbow trout, believed to be of aquaculture origin or originating from aquaculture escapees, were reported from eight (8) rivers on the west and south coast of Newfoundland in 2003, which is 2 more rivers than in 2002 (Table 4). These rainbow trout were either caught by anglers, or captured or observed during scientific surveys. Both male and female rainbow trout have been confirmed. A research project conducted on Trout River, western Newfoundland, confirmed that successful reproduction has occurred and at least three year-classes were present. Anglers have reported rainbow trout spawning in three (3) other rivers, on the west coast of Newfoundland, but this has not been confirmed. Figure 1 is a map showing the distribution of rivers in which rainbow trout have been observed. The Scientific Working Group reiterates its concern that if rainbow trout becomes established, it could negatively impact on the Atlantic salmon and brook trout populations.

Some information, albeit incomplete, was available on observations of rainbow trout in rivers of New Brunswick and Nova Scotia (Table 5). No information was available as to the origin of these fish. In 2003, rainbow trout were reported in only one (1) river in Nova Scotia and one (1) river in New Brunswick.

There were only two reports of escapements of Atlantic salmon from aquaculture sites in the NAC Area in 2003. One was an escapement of 6,500 market-size fish in Newfoundland in May; and the other was an escapement of approximately 2,000 fin-clipped Atlantic salmon from a Maine site in November. There were no reports of escapements of rainbow trout in 2003.

4. Other Items of Interest

Triploidy:

Triploid Atlantic salmon have been imported into New Brunswick and Nova Scotia for culture trials to examine performance relative to diploid fish. It is anticipated that fish in land-based facilities will be placed in sea-cages in the coming year. Culture of triploid salmon has been encouraged as an alternate means of reducing the risk of negative interactions with wild Atlantic salmon. However, past trials have shown poor performance of triploid compared to diploid salmon.

Containment Measures:

The containment measures currently being used in the marine cage rearing operations in the NAC area appear to have reduced the number of escapements. The Code of Practice implemented in Newfoundland in recent years appears to be working very well, with noticeable improvement in monitoring, enforcement, and a reduction in the number of fish escaping.

<u>Current Status of US Efforts to Protect Wild Salmon from Potential Impacts from Aquaculture</u>

The U.S. Endangered Species Act requires that all federal agencies consult with NOAA Fisheries and/or US Fish and Wildlife Service on any action they intend to carry out, fund, or permit, to evaluate the impacts to threatened and endangered species. The US Army Corps of Engineers issues permits to aquaculture facilities for the placement of their cages in marine waters. In conjunction with the US Fish and Wildlife Service, NOAA Fisheries completed a consultation on the existing aquaculture facilities in Maine and issued a Biological Opinion on November 19, 2003, on the adverse effect that existing aquaculture sites have on endangered wild Atlantic salmon. This Opinion includes special conditions that the Army Corps of Engineers will incorporate as mandatory in permits that they issue authorizing the operation of aquaculture facilities. These mandatory conditions address issues that will improve the operation of aquaculture facilities and reduce threats to wild Atlantic salmon.

These conditions are also included in the Maine Department Environmental Protection Discharge Elimination System (MEPDES) permit. The special conditions in the Biological Opinion and MEPDES permit, include a prohibition on the use of reproductively viable Atlantic salmon originating from non-American stock, a prohibition on the use of transgenic salmonids, a requirement for a marine containment management system at each site and annual audits, mandatory reporting of known or suspected escapes, and mandatory marking of smolt stocked. Additional information on these conditions can be found at either of the following websites:

Biological opinion:

http://www.nmfs.noaa.gov/prot_res/readingrm/ESAsec7/7se_maine_aquaculture_2003.pdf MPDES Permit: http://www.maine.gov/dep/blwq/docstand/wastepage.htm

The framework for Containment Management System (CMS) plans were developed for both marine sites and freshwater hatcheries. State MEPDES permits require a CMS plan in place prior to placement of fish. Site-specific CMS plans for all active aquaculture sites in Maine are currently being implemented. Each facility is required to develop and utilize a CMS consisting of management and auditing methods to include: inventory control procedures, predator control procedures, escape response procedures, unusual event management, severe weather procedures, and training. The CMS will be audited at least once per year.

Containment Management System audits were completed for all active sites in 2003. Non North American Atlantic salmon were used commercially within the U.S. aquaculture industry through 2003. Recently, a court order and injunction pursuant to US Clean Water Act violations, issued in May, 2003, to two large aquaculture companies operating in Maine requires stocking only North American Atlantic salmon in Maine waters. State MEPDES permits require that after July 31, 2004 all reproductively viable Atlantic salmon stocked into Maine waters for the purpose of aquaculture must be of North American origin. All reproductively viable non North American Atlantic salmon must be removed from net pens prior to March 1, 2006.

Table 1. Summary of total numbers of eggs and fish transferred between Provinces and/or States within the NAC Area from 2001 to 2003. USA transfers also includes within state transfers.

| | Num | ber of Shipn | nents | Num | ber of Eggs o | r Fish |
|------------------------|------------|--------------|-----------|------------|---------------|------------|
| | 2001 | 2002 | 2003 | 2001 | 2002 | 2003 |
| Arctic Char | | | | | | |
| Canada | 2 | 7 | 2 | 20,000 | 116,300 | 122,000 |
| USA | <u>N/A</u> | <u>N/A</u> | N/A | <u>N/A</u> | <u>N/A</u> | <u>N/A</u> |
| Atlantic Salmon | | | | | | |
| Canada | 60 | 61 | 51 | 31,459,000 | 43,760,400 | 30,727,750 |
| USA | <u>27</u> | <u>31</u> | <u>11</u> | 8,408,631 | 16,745,183 | 3,341,216 |
| Total | 87 | 91 | 62 | 39,867,631 | 60,505,583 | 34,068,966 |
| Brook trout | | | | | | |
| Canada | 14 | 13 | 12 | 437,050 | 225,035 | 313,500 |
| USA | N/A | N/A | N/A | N/A | N/A | N/A |
| Brown trout | | | | | | |
| Canada | 0 | 1 | 0 | 0 | 10,000 | 0 |
| USA | N/A | N/A | N/A | N/A | N/A | N/A |
| Rainbow trout | | | | | | |
| Canada | 37 | 40 | 59 | 5,003,075 | 8,679,590 | 6,482,409 |
| USA | N/A | N/A | N/A | N/A | N/A | N/A |

Table 2. Summary of fish disease or agent occurrence for each State and Province within the NAC Area at end of calendar year 2003. See footer for explanation of "occurrence Codes"

| | Bacterial | | | | Infectious | Infectious | Infectious | | Viral | | | |
|----------|----------------|---------------|----------|--------------|---------------|------------|------------|--------------|-------------|----------|--------------|-------------|
| State or | Kidney | | Enteric | | Hematopoietic | Pancreatic | Salmon | | Hemorrhagic | | Other CPE | Salmon |
| Province | Disease | | Redmouth | | Necrosis | Necroisis | Anemia | Oncorhynchus | Septicemia | Whirling | viruses | Swimbladder |
| | (BKD) | Ceratomyxosis | (ERM) | Furunculosis | (IHN) | (IPN) | (ISA) | Masou Virus | (VHS) | Disease | (except IPN) | Sarcoma** |
| | | X | | | X | | | X | X | | X | |
| CT | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| Lab | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MA | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| ME | 2 | 0 | 1 | 3 | 0 | 2 | 3 | 0 | 0 | 0 | 3 | 1* |
| NB | 3 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 2*** | 0 | 3 | 0 |
| NFLD | 1 | 0 | 2 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| NH | 1 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 1 | 1 | 0 |
| NJ | No information | n for 2003 | | | | | | | | | | |
| NS | 3 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 0 | 0 | 2 | 0 |
| NY | 1 | 0 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 0 |
| ONT | 3 | 0 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 |
| PEI | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| QUE | 3 | 0 | 3 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| RI | No informatio | n for 2003 | | | | | | | | | | |
| VT | 2 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 0 |

Occurrence

0 = No known historical occurrence within State/Province

X indicates an "EMERGENCY DISEASE" under NAC Protocols for the Introduction and Transfer of Salmonids

^{1 =} Historical occurrence but no known occurrence within the last 5 years

^{2 =} Has occurred during the past 5 years but not during the last Calendar Year

^{3 =} Verified occurrence during the last Calendar Year within State/Province

^{*}Virus found present, but no disease symptoms ever detected.

^{**} New virus: not currently included in the NAC Protocols

^{*** &}quot;North American Strain", Not "European" or "Salmonid" strain

Table 3. Known occurrences of Atlantic salmon aquaculture escapees in salmon rivers within the NAC area.

| Table 3. Known | | | • | (escapees a | • | | | | Life |
|---------------------|----------------------------------|-----------------|--------------|---------------|--------------|---------------|------------|---------|----------------------|
| River (St/Prov) | Prior to 1990 | 1990 - 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | Stage |
| CANADA | | | | | | | | | |
| Annapolis (NS) | | 1 | | R***** | 15 | | | | MSW |
| Baddeck (NS) | | 23 (6)*** | 5 (3) | | | | | | 1SW & MSW |
| Bear (NS) | Many angled in | n early 1990's | | | | | | | 1SW & MSW |
| Big Salmon (NB) | 1 | | | | | | | | 1SW & MSW |
| Conne (NF) | | 13 | 2(1) | 1(>1) | 5(2.3) | 0 | 0 | 0 | 1SW & MSW |
| Conne (NF) | | 71 | | | | | | | smolt |
| Dennis (NB) | R**** | | | | | | | | 1SW & MSW |
| Digdeguash (NB) | below hatchery | | | | 0 | | | | juveniles |
| Gaspereau (NS) | | 5 | 1 (4) | | 1(2) | | | | MSW |
| Indian Brook (NS) | | | | | 1 | | | | 1SW & MSW |
| LaHave (NS) | 1 (<1) | 0 | 0 | | | | | | 1SW & MSW |
| Magaguadavic (NB) | | 2,383 | 223 (8) | 79(77) | 30(68) | 132(94) | 35 (83) | 22 (81) | 1SW & MSW |
| Magaguadavic (NB) | | | | | | 35 | | | smolt |
| Mersey (NS) | | | | | 1 | | | | 1SW & MSW |
| Meteghan (NS) | | | | | 1 | | | | 1SW & MSW |
| Middle (NS) | | | 9 (4) | | | | | | 1SW & MSW |
| North (NS) | | 14 (8)*** | 55 (11) | | | | | | 1SW & MSW |
| Saint John (NB) | | 1990, Belle | | R***** | R***** | 14 | 8 | 3 (<1) | 1SW & MSW |
| Salmon Digby (NS) | | | | 2 | 0 | | | | 1SW & MSW |
| St. Croix (NB/ME) * | | 258 | 25 (38) | 23(64) | 30(60) | 58(75) | 5 (20) | 9 (38) | 1SW & MSW |
| Tusket (NS) | | | 2 (<1) | | | | | | MSW |
| Waewig (NB) | juvniles below hatch. 1 adult | | , | | | | | | Juveniles and adults |
| Stewiacke (NS) | | 7 (33) | | | | | | | MSW |
| UNITED STATES | | | | | | | | | |
| Penobscot River | | | | | | 1(0.1) | | | |
| Dennys (ME)** | | 69 | 1(100) | | 29(94) | 65(79) | 4 (67) | 2 (18) | |
| Narraguagus (ME) | | 9**** | 0 | 3 (9) | 0 | 0 | 0 | 0 |] |
| Union (ME) | | | | 63(90)**** | 6(75) | 2(100) | 6 (55) | 0 | Sexually mature & |
| Other Maine Rivers | Unofficial re | ports of escape | es in variou | ıs eastern co | astal rivers | s, especially | Cobscott B | ay area | immature |

 $^{^{\}star}$ 1994-96 aquaculture fish were estimated to be 13-54% of the run.

^{**} Partial counts in Dennys

^{***} Includes 1995 only; no earlier data

^{****} includes 1995 and 1996 only.

^{*****} based on scale samples form 11 of 22 adults

 $R^{\star\star\star\star\star\star}$ escapees reported but number or presence not confirmed

Table 4. Known occurrences of rainbow trout observed in Newfoundland rivers, believed to be aquaculture

escapees or progency of aquaculture escapees.

| escapees of progency | | • | Number of | rainbow trou | t | | | Life |
|-----------------------|---------------|-------------|-----------|--------------|------|------|------|-----------|
| River (St/Prov) | Prior to 1990 | 1990 - 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | Stage |
| Watts Bight Bk (NF) | 3 | | | | | | | adult |
| Green Island Cove | | | | | | 1 | | adult |
| Western Arm Brook | | | | | 1 | | 1 | adult |
| River of Ponds (NF) | 1+ | 4+* | 24 | 2**** | 6 | | | adult |
| Portland Creek (NF) | | | 1 | | | | | adult |
| Parsons Pond (NF) | | 1 | | | | | | adult |
| Deer Arm Brook | | | | | 1 | 1 | | adult |
| Lomond River | | | | | 1 | | | adult |
| Trout River (NF) | 4 | 2+ | 1+** | 2*** | 97+ | 55+ | 122 | adult+juv |
| Bay of Islands | | | | | | 1 | | adult |
| Hughes Brook | | | | | | | 1 | adult |
| Humber River (NF) | | | 3 | 1** | 1 | 1+ | 3 | adult |
| Serpentine (NF) | 2 | | | | | | | adult |
| Flat Bay Brook (NF) | | 1* | 2 | | | | 5 | adult |
| Robinsons River (NF) | | | 2 | | | | 1 | adult |
| Crabbes R (NF) | | | | 2 | | | | immature |
| La Poila River (NF) | | | 3 | | | | | adult |
| Garia Brook (NF) | | | 3 | | | | | adult |
| Grandys River (NF) | | | 2 | 3**** | 3 | | | adult |
| Unnamed Bk (Bay de Vi | eux) | | | | 1 | | | |
| White Bear River | | | | | 1+ | | | |
| White Bear R Estuary | | | | | 1+ | | | |
| Grey River (NF) | | | | 1 | | | 1 | immature |
| Northwest Bk | | | | 3 | | | | adult |
| Jeddore lake | | | | 3 | | | | juvenile |
| Conne River (NF) | | 245 | 21 | 45 | 18+ | 1 | 15+ | adult |
| Little River (NF) | | 5 | 1 | | | | | adult |
| Garnish River (NF) | | 2+ | | | | | | |
| Long Harbour R (NF) | | 1+ | | | 2 | | | adult |
| Grand Bank Bk (NF) | | 1+ | | | | | | adult |
| Lawn Bk (NF) | | | | 1 | | | | adult |
| Holyrood Pond | | | | 3 | | | | adult |
| Biscay Bay Bk (NF) | | 2 | | | | | | adult |

^{* 1} Male (interally sexed)

^{** 1} Female (internally sexed)

^{*** 2} females, immature

^{**** 1} was a spent female, and 1 was a male

^{***** 1} was a ripe male

Table 5. Reports of rainbow trout observed in New Brunswick and Nova Scotia rivers. Rainbow trout in some

Nova Scotia rivers maybe from directed stocking programs. Table is incomplete.

| | | Nur | nber of Rainb | ow trout | | | Life |
|---------------------|-------------|-------|---------------|----------|------|------|------------|
| River (Prov) | 1995 - 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | Stage |
| Saint John R (NB) | 13 | | 1 | 2 | | | |
| Nashwaak R (NB) | | | | | | | |
| Big Salmon R (NB) | | | 18 | 8 | | 25 | |
| Shepody R* (NB) | | | 1 | | | | Juvenile |
| Upper Salmon R (NB) | | | | 1 | | | Juvenile |
| Sutherlands R (NS) | 1 | | | | | | |
| Salmon R (NS) | | 2 - 4 | | | | | immature |
| Mersey R (NS) | | 2 | | | | | |
| Tusket R (NS) | | 5+ | | | | | |
| Middle R (NS) | | 2 | | 11 | | 2+ | adult |
| North R (NS) | | 1+ | | | 2 | | Juveniles |
| St. Mary's R (NS) | | 1 | | | | | Juvenile |
| River Tillard | | | 1+ | | | | |
| Baddeck R (NS) | | | 8 | | | | 1adult+Juv |
| Musquodoboit (NS) | | | | 2+ | | | adult |
| River Philip (NS) | | | | 12 | | | ~30 cm |

^{*} Shepody River has a self sustaining population of rainbow trout. Rainbow trout angled annually.




Figure 1. Locations of Rainbow trout sightings in Newfoundland, 1979-2003..

Appendix 1. Report of Salmonid Introductions and Transfers in NAC Area - 2003

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use | Monosex |
|-------------|--|----------------|-----------|---------|-------------------|----------------------------|----------------------------|---------|
| MAINE | | | | | | | | |
| ATLA | NTIC SALMON | | | | | | | |
| 1307 | Stolt Sea Farms (NB) | St John R | Smolt | Y | 187,957 | Private | Aquaculture (sea pen) | N |
| 1304 | Digdequash hatchery (NB) | St John R | Fry | Y | 247,400 | Private | Aquaculture (misc. inland) | N |
| 1305 | Chamcook-ASF (NB) | St John R | Fry | Y | 82,000 | Private | Aquaculture (misc. inland) | N |
| 1306 | Digdequash hatchery (NB) | St John R | Smolt | Y | 121,532 | Private | Aquaculture (sea pen) | N |
| 1300 | Connors Bros (NB) Heritage S - Lake Utopia | St John R | Smolt | Y | 286,346 | Private | Aquaculture (sea pen) | N |
| 1298 | Connors Bros (NB) Heritage S - Lake Utopia | St John R | Smolt | Y | 296,155 | Private | Aquaculture (sea pen) | N |
| 1309 | Atlantic Ova Pro Ltd (NS) | St John R | Eggs | Y | 1,622,250 | Private | Aquaculture (misc. inland) | N |
| 1303 | Stolt Sea Farms (NB) | St John Dover | Fry | Y | 200,000 | Private | Aquaculture (misc. inland) | N |
| 1302 | Chamcook-ASF (NB) | St John R | Smolt | Y | 4,000 | Private | Brood Stock Dev. | N |
| 1308 | Chamcook-ASF (NB) | St John R | Smolt | Y | 4,042 | Private | Brood Stock Dev. | N |
| 1301 | Connors Bros (NB) Heritage S - Lake Utopia | St John R | Smolt | Y | 289,534 | Private | Aquaculture (sea pen) | N |
| NEW B | <u>RUNSWICK</u> | | | | | | | |
| <u>ATLA</u> | NTIC SALMON | | | | | | | |
| 1330 | Atlantic Salmon Maine Starboard | St John R | Smolt | Y | 400 | Gov-Federal (Can) | Research/Education | |
| 1345 | Gardner Lake Hatchery (ME) | St John R | Fry | Y | 600,000 | Private | Aquaculture (FW pen) | |
| 1335 | Dartek (NS) | St John R | Smolt | Y | 100,000 | Private | Aquaculture (sea pen) | |
| 1342 | AKM Fisheries (NS) | St John R | Adults | Y | 600 | Private | Brood Stock Dev. | |
| 1331 | Aquaculture Acadie (NS) | St John R | Smolt | Y | 210,000 | Private | Aquaculture (sea pen) | |
| 1328 | Dover Hatchery (PEI) | Icelandic mowi | Eggs | Y | 90,000 | Private | Research/Education | |
| 1350 | Bingham Aquaculture Ltd. (ME) | St John R | Eggs | Y | 2,000,000 | Private | Aquaculture (FW pen) | |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use Monosex |
|--------|-------------------------------|--------------|-----------|---------|-------------------|----------------------------|----------------------------|
| 1351 | Dover Hatchery (PEI) | St John R | Eggs | Y | 2,000,000 | Private | Aquaculture (FW pen) |
| 1337 | Gardner Lake Hatchery (ME) | St John R | Smolt | Y | 200,000 | Private | Aquaculture (sea pen) |
| 1368 | Dover Hatchery (PEI) | | Eggs | Y | 1,000,000 | Private | Aquaculture (FW pen) |
| 1336 | Dartek (NS) | St John R | Smolt | Y | 160,000 | Private | Aquaculture (sea pen) |
| 1338 | Merlin Fish Farms (NS) | St John R | Smolt | Y | 145,000 | Private | Aquaculture (sea pen) |
| 1344 | Connors Aquaculture (ME) | St John R | Fry | Y | 1,000,000 | Private | Aquaculture (FW pen) |
| 1369 | Little Harbour Hatchery (NS) | | Eggs | Y | 500,000 | Private | Aquaculture (FW pen) |
| 1359 | Little Harbour Hatchery (NS) | | Eggs | Y | 380,000 | Private | Aquaculture (FW pen) |
| 1365 | Atlantic Sea Smolt (PEI) | | Eggs | Y | 110,000 | Private | Aquaculture (FW pen) |
| 1363 | Atlantic Sea Smolt (PEI) | | Parr | Y | 100,000 | Private | Aquaculture (FW pen) |
| 1352 | Dover Hatchery (PEI) | St John R | Eggs | Y | 10,000,000 | Private | Aquaculture (FW pen) |
| 1341 | Bingham Aquaculture Ltd. (ME) | St John R | Smolt | Y | 208,850 | Private | Aquaculture (sea pen) |
| 1329 | Connors Aquaculture (ME) | St John R | Eggs | Y | 2,000,000 | Private | Aquaculture (misc. inland) |
| 1348 | Bingham Aquaculture Ltd. (ME) | St John R | Fry | Y | 950,000 | Private | Aquaculture (FW pen) |
| 1340 | Little Harbour Hatchery (NS) | St John R | Smolt | Y | 160,000 | Private | Aquaculture (sea pen) |
| 1362 | Bingham Aquaculture Ltd. (ME) | | Parr | Y | 300,000 | Private | Aquaculture (FW pen) |
| 1370 | Bingham Aquaculture Ltd. (ME) | | Eggs | Y | 2,000,000 | Private | Aquaculture (FW pen) |
| 1339 | Bingham Aquaculture Ltd. (ME) | St John R | Smolt | Y | 582,400 | Private | Aquaculture (sea pen) |
| 1349 | Bingham Aquaculture Ltd. (ME) | St John R | Smolt | Y | 100,000 | Private | Aquaculture (sea pen) |
| 1364 | Atlantic Ova Pro Ltd (NS) | | Eggs | Y | 10,000 | Research/Educ. | Research/Education |
| BROC | OK TROUT | | | | | | |
| 1366 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 40,000 | Private | Aquaculture (FW pen) |
| 1357 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 50,000 | Private | Aquaculture (FW pen) |
| 1360 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 20,000 | Private | Aquaculture (FW pen) |
| 1355 | Pisciculture Alleghanys (QUE) | | Juveniles | Y | 5,500 | Private | Aquaculture (FW pen) |
| 1361 | Pisciculture Alleghanys (QUE) | | Juveniles | Y | 20,000 | Private | Aquaculture (FW pen) |
| 1347 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 10,000 | Private | Aquaculture (FW pen) |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use | Monosex |
|--------------|--------------------------------|--------------|-------------|---------|-------------------|----------------------------|----------------------------|---------|
| 1356 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 20,000 | Private | Aquaculture (FW pen) | |
| 1354 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 20,000 | Private | Aquaculture (FW pen) | |
| 1371 | Pisciculture Alleghanys (QUE) | | Fingerlings | Y | 3,000 | Private | Aquaculture (FW pen) | |
| 1353 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 50,000 | Research/Educ. | Research/Education | |
| RAIN | BOW TROUT | | | | | | | |
| 1332 | Rainbow Springs Hatchery (ONT) | | Fry | Y | 16,500 | Gov-Federal (Can) | Research/Education | |
| 1367 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 30,000 | Private | Aquaculture (FW pen) | |
| 1346 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 10,000 | Private | Aquaculture (FW pen) | |
| 1358 | Rainbow Springs Hatchery (ONT) | | Eggs | Y | 200 | Research/Educ. | Research/Education | |
| 1334 | Cardigan Hatchery (PEI) | | Adults | Y | 100 | Research/Educ. | Research/Education | |
| 1343 | Cardigan Hatchery (PEI) | | Juveniles | Y | 400 | Research/Educ. | Research/Education | |
| 1333 | Cardigan Hatchery (PEI) | | Juveniles | Y | 180 | Research/Educ. | Research/Education | |
| <u>NEWF(</u> | <u>DUNDLAND</u> | | | | | | | |
| ARTI | <u>C CHAR</u> | | | | | | | |
| 1278 | Aqua Bounty Farms (PEI) | Transgenic | Eggs | Y | 12,000 | Research/Educ. | Research/Education | N |
| ATLA | ANTIC SALMON | | | | | | | |
| 1296 | Cooke Aquaculture US Inc. | St John R | Eggs | Y | 600,000 | Private | Aquaculture (Unspecified) | N |
| 1283 | North River Fish Farm (NS) | | Pre-smolt | Y | 80,000 | Private | Aquaculture (sea pen) | N |
| 1282 | Stolt Sea Farms (NB) | | Pre-smolt | Y | 300,000 | Private | Aquaculture (sea pen) | N |
| 1292 | Aqua Bounty Farms (PEI) | Transgenic | Eggs | Y | 500 | Research/Educ. | Research/Education | N |
| RAIN | BOW TROUT | | | | | | | |
| 1289 | North River Fish Farm (NS) | All Female | Pre-smolt | Y | 400,000 | Private | Aquaculture (sea pen) | Y |
| 1290 | St Peter's Fish Hatchery (NS) | All Female | Pre-smolt | Y | 150,000 | Private | Aquaculture (sea pen) | Y |
| 1297 | Pisciculture St Damien (QUE) | All Female | Eggs | N | 15,000 | Private | Aquaculture (misc. inland) | Y |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use | Monosex |
|--------------|---|----------------|-----------|---------|-------------------|----------------------------|----------------------------|---------|
| 1274 | Pisciculture St Damien (QUE) | All Female | Eggs | N | 20,000 | Private | Aquaculture (misc. inland) | Y |
| 1284 | Big Falls Fish Growers (NS) | All Female | Pre-smolt | Y | 400,000 | Private | Aquaculture (sea pen) | Y |
| 1295 | Big Falls Fish Growers (NS) | All Female | Pre-smolt | Y | 400,000 | Private | Aquaculture (sea pen) | Y |
| 1286 | North River Fish Farm (NS) | All Female | Pre-smolt | Y | 315,000 | Private | Aquaculture (sea pen) | Y |
| 1279 | St Peter's Fish Hatchery (NS) | Silver bullets | Pre-smolt | Y | 70,000 | Private | Aquaculture (sea pen) | Y |
| 1281 | North River Fish Farm (NS) | All Female | Pre-smolt | Y | 90,000 | Private | Aquaculture (sea pen) | Y |
| 1275 | Pisciculture St Damien (QUE) | Triploid | Eggs | N | 60,000 | Private | Aquaculture (misc. inland) | Y |
| 1285 | North River Fish Farm (NS) | All Female | Pre-smolt | Y | 70,000 | Private | Aquaculture (sea pen) | Y |
| 1280 | Big Falls Fish Growers (NS) | Silver bullets | Pre-smolt | Y | 70,000 | Private | Aquaculture (sea pen) | Y |
| 1294 | Cardigan Hatchery (PEI) | Silver bullets | Pre-smolt | Y | 64,000 | Private | Aquaculture (sea pen) | Y |
| 1293 | River Bend Fish Farm (NS) | Silver bullets | Pre-smolt | Y | 200,000 | Private | Aquaculture (sea pen) | Y |
| 1291 | Big Falls Fish Growers (NS) | Silver bullets | Pre-smolt | Y | 250,000 | Private | Aquaculture (sea pen) | Y |
| 1288 | Rainbow Springs Hatchery (ONT) | All Female | Adults | Y | 15 | Research/Educ. | Research/Education | N |
| 1277 | Aqua Bounty Farms | Transgenic | Eggs | Y | 12,000 | Research/Educ. | Research/Education | N |
| 1276 | Pisciculture St Damien (QUE) | | Eggs | Y | 75,000 | Research/Educ. | Research/Education | N |
| 1287 | Rainbow Springs Hatchery (ONT) | All Female | Adults | Y | 14 | Research/Educ. | Research/Education | N |
| NOVA S | SCOTIA . | | | | | | | |
| <u>ARTIO</u> | C CHAR | | | | | | | |
| 1254 | Pisciculture Alleghanys (QUE) | | Eggs | Y | 60,000 | Private | Aquaculture (sea pen) | |
| 1246 | Icy Waters (YUK) | | Eggs | Y | 50,000 | Private | Aquaculture (sea pen) | |
| <u>ATLA</u> | NTIC SALMON | | | | | | | |
| 1258 | Atlantic Sea Smolt (PEI) | St John R | Eggs | Y | 150,000 | Private | Aquaculture (sea pen) | |
| 1239 | Thomaston Corner H (NB) - Cooke Aquaculture | St John R | Smolt | Y | 200,000 | Private | Aquaculture (sea pen) | |
| 1240 | Oak Bay Hatchery (NB) | St John R | Smolt | Y | 50,000 | Private | Aquaculture (sea pen) | |
| 1235 | Connors Aquaculture (ME) | St John R | Eggs | Y | 1,000,000 | Private | Aquaculture (sea pen) | |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use M | lonosex |
|--------|---|--------------|-------------|---------|-------------------|----------------------------|----------------------------|---------|
| 1241 | Tay Falls Cooke Aquaculture (NB) | St John R | Smolt | Y | 50,000 | Private | Aquaculture (sea pen) | |
| 1234 | Connors Aquaculture (ME) | St John R | Eggs | Y | 1,000,000 | Private | Aquaculture (sea pen) | |
| 1238 | Aqua Fish Farms Penobquis (NB) | St John R | Smolt | Y | 170,000 | Private | Aquaculture (sea pen) | |
| 1244 | Connors Bros (NB) Heritage S - Lake Utopia | St John R | Smolt | Y | 20,000 | Private | Brood Stock Dev. | |
| 1256 | North Water Products Ltd (NF) | St John R | Fingerlings | Y | 150,000 | Private | Aquaculture (sea pen) | |
| 1243 | Oak Bay Hatchery (NB) | St John R | Smolt | Y | 50,000 | Private | Aquaculture (sea pen) | |
| 1242 | Thomaston Corner H (NB) - Cooke Aquaculture | St John R | Smolt | Y | 280,000 | Private | Aquaculture (sea pen) | |
| 1250 | Oak Bay Hatchery (NB) | St John R | Smolt | Y | 100,000 | Private | Aquaculture (sea pen) | |
| 1248 | Thomaston Corner H (NB) - Cooke Aquaculture | St John R | Smolt | Y | 100,000 | Private | Aquaculture (sea pen) | |
| 1245 | Chamcook-ASF (NB) | St John R | Fry | Y | 70,000 | Private | Aquaculture (sea pen) | |
| 1260 | Oak Bay Hatchery (NB) | St John R | Parr | Y | 200,000 | Private | Aquaculture (sea pen) | |
| 1253 | Oak Bay Hatchery (NB) | St John R | Fingerlings | Y | 100,000 | Private | Aquaculture (sea pen) | |
| 1247 | Oak Bay Hatchery (NB) | St John R | Fry | Y | 400,000 | Private | Aquaculture (sea pen) | |
| 1259 | Atlantic Sea Smolt (PEI) | St John R | Eggs | Y | 500,000 | Private | Aquaculture (sea pen) | |
| 1255 | Stolt Sea Farms (NB) | St John R | Fingerlings | Y | 150,000 | Private | Aquaculture (sea pen) | |
| 1249 | Tay Falls Cooke Aquaculture (NB) | St John R | Smolt | Y | 100,000 | Private | Aquaculture (sea pen) | |
| RAIN | BOW TROUT | | | | | | | |
| 1252 | Rainbow Springs Hatchery (ONT) | | Eggs | Y | 100,000 | Gov-Provincial | Pop. Enhanc. (Inland) | |
| 1236 | Rainbow Springs Hatchery (ONT) | | Eggs | Y | 20,000 | Gov-Provincial | Pop. Enhanc. (Inland) | |
| 1237 | Trout Lodge (WA) | | Eggs | Y | 145,000 | Private | Aquaculture (sea pen) | |
| 1251 | Rainbow Springs Hatchery (ONT) | | Fingerlings | Y | 5,000 | Private | Aquaculture (sea pen) | |
| 1257 | Trout Lodge (WA) | | Eggs | Y | 375,000 | Private | Aquaculture (sea pen) | |
| ONTAR | <u>IO</u> | | | | | | | |
| BROC | OK TROUT | | | | | | | |
| 1271 | Pisciculture St Damien (QUE) | | Eggs | Y | 60,000 | Private | Aquaculture (misc. inland) | |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use | Monosex |
|--------------|------------------------------|--------------|-----------|---------|-------------------|----------------------------|----------------------------|---------|
| 1273 | Pisciculture St Damien (QUE) | | Eggs | Y | 15,000 | Research/Educ. | Research/Education | |
| RAIN | BOW TROUT | | | | | | | |
| 1269 | Troutsprings (WA) | | Eggs | Y | 27,000 | Gov-Federal (Can) | Pop. Enhanc. (Inland) | |
| 1270 | Troutsprings (WA) | | Eggs | Y | 173,000 | Gov-Federal (Can) | Pop. Enhanc. (Inland) | |
| 1262 | Troutsprings (WA) | | Eggs | Y | 150,000 | Gov-Provincial | Aquaculture (FW pen) | |
| 1267 | Troutsprings (WA) | | Eggs | Y | 440,000 | Gov-Provincial | Aquaculture (FW pen) | |
| 1265 | Troutsprings (WA) | | Eggs | Y | 25,000 | Gov-Provincial | Pop. Enhanc. (Inland) | |
| 1266 | Troutsprings (WA) | | Eggs | Y | 300,000 | Private | Aquaculture (misc. inland) | |
| 1272 | Troutsprings (WA) | | Eggs | Y | 250,000 | Private | Aquaculture (misc. inland) | |
| 1261 | Troutsprings (WA) | | Eggs | Y | 220,000 | Private | Aquaculture (misc. inland) | |
| 1263 | Troutsprings (WA) | | Eggs | Y | 150,000 | Private | Aquaculture (misc. inland) | |
| 1268 | Troutsprings (WA) | | Eggs | Y | 125,000 | Private | Unspecified | |
| 1264 | Troutsprings (WA) | | Eggs | Y | 227,000 | Private | Aquaculture (misc. inland) | |
| QUEBE | <u>C</u> | | | | | | | |
| RAIN | BOW TROUT | | | | | | | |
| 1321 | Trout Lodge (WA) | Triploid | Eggs | N | 80,000 | Private | Aquaculture (Unspecified) | |
| 1324 | Trout Lodge (WA) | Unknown | Eggs | N | 100,000 | Private | Aquaculture (Unspecified) | |
| 1325 | Trout Lodge (WA) | Unknown | Eggs | Y | 100,000 | Private | Aquaculture (Unspecified) | |
| 1313 | Trout Lodge (WA) | | Eggs | Y | 100,000 | Private | Aquaculture (Unspecified) | |
| 1315 | Trout Lodge (WA) | | Eggs | Y | 75,000 | Private | Aquaculture (Unspecified) | |
| 1312 | Trout Lodge (WA) | | Eggs | N | 65,000 | Private | Aquaculture (Unspecified) | |
| 1323 | Trout Lodge (WA) | All Female | Eggs | Y | 40,000 | Private | Aquaculture (Unspecified) | Y |
| 1322 | Trout Lodge (WA) | | Eggs | Y | 100,000 | Private | Aquaculture (Unspecified) | |
| 1310 | Trout Lodge (WA) | | Eggs | Y | 100,000 | Private | Aquaculture (Unspecified) | |
| 1311 | Trout Lodge (WA) | All Female | Eggs | Y | 50,000 | Private | Aquaculture (Unspecified) | Y |

| File # | Facility Of Origin | Stock/Strain | LifeStage | Reprod. | Number Shipped | Receiving Facility Type | Planned Use | Monosex |
|--------|---------------------|--------------|-----------|---------|-------------------|----------------------------|---------------------------|---------|
| 1314 | Trout Lodge (WA) | | Eggs | Y | 10,000 | Private | Aquaculture (Unspecified) | |
| 1320 | Trout Lodge (WA) | | Eggs | Y | 60,000 | Private | Aquaculture (Unspecified) | |
| 1319 | Trout Lodge (WA) | Triploid | Eggs | N | 10,000 | Private | Aquaculture (Unspecified) | |
| 1318 | Trout Lodge (WA) | All Female | Eggs | Y | 15,000 | Private | Aquaculture (Unspecified) | Y |
| 1316 | McKenzie Fish (MIN) | | Eggs | Y | 5,000 | Private | Aquaculture (Unspecified) | |
| 1326 | Trout Lodge (WA) | Triploid | Eggs | N | 100,000 | Private | Aquaculture (Unspecified) | |
| 1317 | McKenzie Fish (MIN) | | Eggs | Y | 22,000 | Private | Aquaculture (Unspecified) | |